

SUPPLEMENT TO

The Gazette



of India

No. 6]

NEW DELHI, SATURDAY, FEBRUARY 11, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 14th January, 1956

STATES PART (A) AND PART (C)							Assam—contd.								
		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
							(Estd. mid-year pop. 9,817 thousands.)								
Ajmer							Total for w/e 7-1-56								
TOTAL							Total for w/e 31-12-55								
(Estd. mid-year pop. 752 thousands.)							7-yearly mean for the week								
Total for w/e 7-1-56							Bhopal								
Total for w/e 31-12-55							"N.R."								
7-yearly mean for the week							Bihar								
							"N.R."								
Andhra							Bombay								
Srikakulam							Greater Bombay								
Godavari East							Ahmedabad								
Godavari West							Surat								
Krishna							Ahmednagar								
Guntur							East Khandesh								
Nellore							West Khandesh								
Kurnool							Poona								
Cuddapah							Satara North								
TOTAL							Sholapur								
(Estd. mid-year pop. 21,238 thousands.)							Bijapur								
Total for w/e 7-1-56							Mehsana								
Total for w/e 31-12-55							Banaskantha								
7-yearly mean for the week							TOTAL								
							(Estd. mid-year pop. 39,569 thousands.)								
Assam							Total for w/e 7-1-56								
Darrang							Total for w/e 31-12-55								
TOTAL							7-yearly mean for the week								

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 14th January, 1956—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
—	C.	D.	C.	D.	C.	D.	—	C.	D.	C.	D.	C.	D.
Coorg							Manipur						
TOTAL	TOTAL
(Estd. mid-year pop. 262 thousands.)							(Estd. mid-year pop. 613 thousands.)						
Total for w/e 7-1-56	Total for w/e 7-1-56
Total for w/e 31-12-55	Total for w/e 31-12-55
7-yearly mean for the week							
Delhi							Orissa						
Delhi City	2	Cuttack	..	8	4	21
New Delhi	Balasore	..	6	3
Delhi Notified Area	2	Puri	6
New Delhi Canntt.	Bandh	1
West Delhi N.A.C.	Koraput	2
Rural Circles	Dhenkanal	82	2
TOTAL	2	2	Bolangir Patna	1
(Estd. mid-year pop. 1,744 thousands.)							Sundergarh	1
Total for w/e 7-1-56	3	Kalahandi	3
Total for w/e 31-12-55	2	2	TOTAL	..	14	7	117	2	..
7-yearly mean for the week	6	(Estd. mid-year pop. 15,114 thousands.)						
Himachal Pradesh							Total for w/e 7-1-56	..	2	2	30
"N. R."							Total for w/e 31-12-55	..	1	1	26	6	..
Madhya Pradesh							7-yearly mean for the week	..	54	32	73	17	..
"N. R."							Punjab (I)						
Madras							Hissar	2	1
Chingleput	2	Rohtak	2	1
North Arcot	1	Ambala	1
South Arcot	7	1	Ludhiana	1
Tirunelveli	1	TOTAL	6	2
Malabar	3	2	(Estd. mid-year pop. 12,641 thousands.)						
TOTAL	13	4	Total for w/e 7-1-56	28	6
(Estd. mid-year pop. 38,273 thousands.)							Total for w/e 31-12-55	18	3
Total for w/e 7-1-56	30	6	7-yearly mean for the week	18	6
Total for w/e 31-12-55	..	1	24	2	Tripura						
7-yearly mean for the week	..	941	526	123	27	..	TOTAL
Explanation of Symbols used : C.=Cases; D.=Deaths; ..=Nil. 'N.R.'=Information not received							(Estd. mid-year pop. 706 thousands.)						
							Total for w/e 7-1-56	2
							Total for w/e 31-12-55	..	3	1

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 14th January, 1956—*contd.*

CHOLERA SMALLPOX PLAGUE								CHOLERA SMALLPOX PLAGUE							
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.
Uttar Pradesh								West Bengal—<i>contd.</i>							
Dehra Dun	8	7	(Estd. mid-year pop. 21,396 thousands.)							
Mainpuri	4	4	Total for w/e 7-1-56							
Pilibhit	6	2	Total for w/e 31-12-55							
Etawah	5	7-yearly mean for the week							
Kanpur	5 123 64 86 26							
Allahabad	4	2	Grand Total for States Parts (A) and (C) (Excluding Bihar, Bhopal, Madhya Pradesh & Himachal Pradesh)							
Mirzapur	2	2 57 415 88							
Jaunpur	4	Corresponding (Estd. mid-year pop. 237,591 thousands.)							
Ballia	1	1	Corresponding Total for w/e 7-1-56							
Garhwal	1	1 62 29 339 85 2 ..							
Sitapur	4	7	Corresponding Total for w/e 31-12-55							
Kheri	5 101 55 346 99							
Gonda	1	Corresponding 7-yearly mean for the week							
Bahraich	2 1,230 684 825 201 62 23							
Rampur	1	1								
TOTAL	53	27	STATES PART (B)							
(Estd. mid-year pop. 66,780 thousands.)								Hyderabad							
Total for w/e 7-1-56	84	31	2	..	Raichur							
Total for w/e 31-12-55	58	33 3 1							
7-yearly mean for the week	166	46	62	23	Nalgonda							
							 5							
								Hyderabad							
							 16							
								Khammam							
							 5							
								TOTAL							
								.. 3 1 26							
								Jammu and Kashmir							
								"N.R."							
								Madhya Bharat							
								"N.R."							
								Mysore							
								Kolar							
							 4 1							
								Bellary							
							 10 4							
								TOTAL							
							 10 4 4 1							
								Patiala & East Punjab States Union							
								TOTAL							
							 17 9							
								Rajasthan							
								"N.R."							
								Saurashtra							
								Gohilwad							
							 11 7							
								Malar							
							 10 1							
								Zalawad							
							 6 3							
								TOTAL							
							 27 11							
								West Bengal							
Burdhan	4	2								
Birbhum	11	5								
Bankura	1								
Hooghly	5	4								
Howrah	1	1								
24-Parganas	47	27								
Nadia	4	4								
Malada	15	7								
Jalpaiguri	3	1								
TOTAL	82	46	9	5								

Explanation of Symbols used : C = Cases; D = Deaths; .. = Nil; "N. R." = Information not received

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 14th January, 1956—concl'd.

CHOLERA							SMALLPOX							PLAGUE													
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.									
Travancore-Cochin														Jammu & Kashmir													
TOTAL		12	4	—	..	w/e 31-12-55						TOTAL		24	6						
Grand total for States Part (B)		13	5	82	24	4	1	Vindhya Pradesh						TOTAL							
Grand total for States Parts (A), (B) & (C)		130	62	497	112	4	1	w/e 7-1-56						TOTAL							
ARREAR INFORMATION														Madhya Bharat													
Himachal Pradesh														w/e 31-12-55													
TOTAL		TOTAL						11	1							

Explanation of Symbols used : C.—Cases; D.—Deaths; ..—Nil.

NEW DELHI-2 (INDIA);
The 6th February, 1956.

K. MITRA,
for Registrar General, India

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 14th January, 1956

Deaths from 1—															
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
STATES—(Parts A and C)															
Ajmer															
"N.R."															
Andhra															
Adoni	63	35	28.9	1	3	12	9.9	5		
Anantpur	38	1	..	1	..	18	24.6	5		
Anakapalli	46	19	21.5	4	3	2	..	19	21.5	3		
Bhimavaram	36	19	27.4	1	2	7	10.1	2		
Chirala†	45	39	45.1	1	2	3	3	16	18.5	5		
Chittoor	42	10	12.4	1	2	2.5	..		
Cuddapah	99	33	17.3	3	..	1	..	11	5.8	..		
Eluru	36	25	36.1	1	3	4.3	..		
Gudivada	37	17	23.9	1	..	5	7.0	2		
Guntur†	113	49	22.5	..	1	..	3	1	1	..	31	14.3	13		
Kakinada	68	39	29.8	6	1	1	..	26	19.9	3		
Kurnool	88	38	22.5	3	..	1	..	18	10.6	4		
Masulipatnam	37	23	32.3	2	4	..	9	12.6	2		
Nandyal	95	73	40.0	5	2	..	1	34	18.6	14		
Nellore	122	38	16.2	8	..	2	..	37	15.8	7		
Proddatur †	67	45	34.9	2	..	10	7.8	2		
Rajahmundry	201	81	21.0	..	5	..	5	..	3	..	34	8.8	11		
Tenali	128	45	18.3	6	1	12	..	30	12.2	7		
Vijayavada	75	37	25.7	4	2	2	1	30	20.8	8		
Vishakhapatnam	1,436	665	24.1	..	6	..	53	19	36	5	352	12.7	93		
TOTAL															
Assam															
"N.R."															
Bhopal															
Bhopal City	116	114	51.1	3	..	4	..	9	4.0	..		
Bihar															
Arrah	70	4	3.0	2	3	2.2	..		
Bihar †	126	32	13.2	4	10	4.1	..		
Bettiah†	93	32	17.9	7	3.9	..		
Bhagalpur	41	13	16.5	2	2.5	..		
Chapra †	44	6	7.1	2	2	5	5.9	..		
Darbhanga	149	57	19.9	..	2	..	18	3	7	2	46	16.1	..		
Dhanbad	39	5	6.7	2	2.7	..		
Jamalpur	47	7	7.7	3	3	3.3	..		
Jamshedpur	26	3	28.8	2	11	2.3	5		
Katihar †	80	25	16.3	3	1	15	9.8	..		
Monghyr	84	23	14.2	6	21	13.0	..		
Muzaffarpur	330	127	20.0	..	5	..	7	2	41	6.5	..		
Patna	47	7	7.7	2	3	3.3	..		
Purulia	130	23	9.2	7	13	5.2	2		
Ranchi															
TOTAL	1,526	497	16.9	..	7	..	54	6	9	4	182	6.2	7		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 14th January, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	Deaths from :—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Bombay															
Ahmedabad	889	632	36.9	..	4	..	12	8	86	..	300	17.5	118		
Ahmednagar	88	50	29.5	1	1	4	..	17	10.0	6		
Amalner	50	31	32.2	2	3	3.1	..		
Bagalkot	36	22	31.8	1	4	5.8	..		
Baroda	242	194	41.7	11	5	17	1	61	13.1	19		
Barsi	46	23	26.0	8	..	2	..	16	18.1	5		
Belgaum	110	108	51.1	4	1	3	..	27	12.8	6		
Bhusawal	62	39	32.7	5	..	2	..	12	10.1	1		
Bijapur	75	13	9.0	3	..	3	..	11	7.6	..		
Broach†															
Cambay	41	23	29.1	3	..	19	24.1	7		
Chalisgaon	35	13	19.3	5	1	9	13.3	5		
Dharwar	76	36	24.6	2	1	2	16	10.9	..		
Dhulia	89	50	29.2	11	..	4	..	22	12.9	4		
Gadag Betageri	71	35	25.6	10	1	7	..	38	27.8	6		
Godra	40	23	29.9	3	5	6.5	3		
Greater Bombay	3,449	1,670	25.2	..	3	..	4	28	130	2	706	10.6	164		
Hubli	148	40	14.1	3	..	3	1	18	6.3	1		
Jalgaon	79	27	17.7	3	..	6	1	19	12.5	3		
Kalyan	73	17	12.1	1	..	5	..	9	6.4	..		
Kolhapur	159	85	27.8	3	2	7	..	47	15.3	10		
Malegaon †															
Mira	44	24	28.3	6	7.1	1		
Nadiad	71	48	35.2	7	..	2	..	13	9.5	3		
Nandurbar	35	25	37.1	1	..	8	11.9	5		
Nasik	119	73	31.9	2	..	3	..	26	11.4	6		
Navsari	50	42	43.7	2	..	1	..	6	6.2	4		
Pandharpur	44	25	29.5	2	3	7	1	22	26.0	10		
Patan	47	37	40.9	7	2	4	..	24	26.5	5		
Poona	607	384	32.8	1	4	31	2	137	11.7	41		
Sangli	58	38	34.1	1	8	7.2	1		
Satara	40	16	20.8	1	9	11.7	..		
Sholapur	299	205	35.7	9	7	34	..	94	16.3	17		
Surat	250	208	43.3	..	6	..	12	2	21	1	107	22.3	34		
Thana†															
TOTAL	7,522	4,256	29.4	..	13	..	132	68	387	12	1,819	12.6	485		

Delhi State

Delhi City	1,124	642	29.7	55	2	39	3	180	8.3	60
New Delhi	374	259	36.0	4	2	6	..	95	13.2	27
I.A.C. Civil Station, Delhi	117	91	40.4	..	2	..	1	1	5	2	21	9.3	9
Delhi Cantt.	50	33	34.3	3	3.1	1
Delhi-Shahdara	53	42	41.2	1	..	1	..	4	3.9	1
TOTAL	1,718	1,067	32.3	..	2	..	61	5	51	5	303	9.2	98

Madhya Pradesh

Chalpur†													
Kola	104	76	38.0	..	4	..	5	2	2	..	31	15.5	6
Nravati	101	90	46.3	3	1	3	..	29	14.9	11
Jaspur†													
Uhanpur	79	56	36.9	10	..	4	..	18	11.9	..
Uanda	43	31	37.4	4	1	1	..	13	15.7	1
Uindwara†													
Uoh†													
Undia†													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 14th January, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh—<i>contd.</i>													
Hinganghat†													
Jabalpur†													
Khandwa	59	27	23·8	1	2	1·8	..
Khamgaon†													
Kamptee	36	13	18·8	2	2·9	..
Murwat†													
Nagpur	528	190	18·7	..	4	..	22	5	15	4	86	8·5	3
Sagar	75	32	22·2	..	3	..	3	2	14	9·7	..
Raipur†													
Raigarh	35	12	17·8	2	3·0	2
Wardha†													
Yeotmal	41	34	43·1	4	13	16·5	4
TOTAL	1,101	561	26·5	..	11	..	52	11	25	4	210	9·9	27
Madras "N. R."													
Orissa													
Berhampur	72	100	72·2	4	..	3	..	15	10·8	2
Cuttack	117	126	56·2	7	2	8	..	46	20·4	6
Puri	53	39	38·3	4	2	2	..	23	22·6	4
TOTAL	242	265	56·9	15	4	13	..	84	21·1	12
Punjab (I)													
Ambala	65	53	42·4	4	2	9	..	22	17·6	10
Amritsar	343	179	27·1	1	26	2	77	11·7	27
Batala	62	31	26·0	2	..	2	..	7	5·9	1
Bhiwani	57	45	41·1	..	2	..	8	..	1	..	12	13·9	..
Ferozepore	45	27	31·2	1	1	7	8·1	..
Hissar	39	28	37·3	2	..	3	1	10	13·3	..
Hoshiarpur	51	36	36·7	1	5	..	9	9·2	3
Jullundur	200	151	39·3	1	2	8	..	18	4·7	4
Karnal	72	41	29·6	4	..	5	..	12	8·7	..
Ludhiana	176	121	35·8	19	..	1	..	31	9·2	7
Moga†													
Paipat.	64	35	28·4	2	4	3·3	7
Pathankot	34	27	41·3	1	..	1	..	3	4·6	..
Rewari	36	22	31·8	4	1	1	..	7	10·1	..
Rohtak	105	65	32·2	2	..	7	..	13	6·4	5
Simla†													
Sonapat	34	23	35·2	1	1	5	7·7	3
TOTAL	1,383	884	33·2	..	2	..	51	9	69	3	237	8·9	72
Uttar Pradesh													
Agra	375	509	71·0	2	31	..	78	10·9	30
Allahabad	349	210	31·3	..	2	1	27	1	59	8·8	21
Amroha	61	48	41·0	3	1	7	..	18	15·4	6
Bahraich	47	18	20·0	3	..	1	..	9	10·0	5
Banaras	983	262	35·6	39	3	22	..	139	19·0	32
Ballia	35	15	22·3	1	11	16·4	9
Banda†													
Barilly	203	64	16·5	13	1	15	..	34	8·7	8
Bijnor	32	26	42·3	1	4	..	7	11·4	2
Budaun	54	28	27·0	1	..	5	..	9	8·7	1
Basti†													
Bulandshahr†													
Chandausi	41	41	32·0	3	..	2	..	10	12·7	2
Dehra Dun	146	90	32·2	..	3	..	1	2	3	..	18	6·4	3
Etawah	64	41	33·3	4	..	1	..	12	9·8	7

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 14th January, 1956—*concl'd.*

Town	Mid.-year Popn.-Est. (000).	B.	B.R.*	Deaths from :—										Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.						
Uttar Pradesh—contd.																
Faizabad-Ayodhya	88	28	16.6	2	6	3.5		
Farrukhabad-Fatehgarh	82	49	31.1	1	2	9	..	18	11.4	4	..		
Ferozabad†																
Ghaziabad	46	39	44.1	6	9	10.2	4	..		
Gazipur	36	23	33.2	5	2	14	20.3		
Gorakhpur	140	64	23.8	12	3	2	..	25	9.3	9	..		
Gonda	35	20	30.0		
Hapur	49	35	37.1		
Hardwar	64	42	34.1	6	..	5	..	20	16.3	4	..		
Hathras	62	21	17.7	5	..	8	..	19	16.0	8	..		
Jaunpur	56	30	28	3	..	4	..	10	9.3	1	..		
Jhansi	116	92	41.2	14	2	4	..	25	11.3	9	..		
Kanpur	734	424	30.0	112	18	41	6	298	21.2	78	..		
Kasganj	34	4	6.1	3	3	4.6		
Khurja	41	22	28.0	1	..	4	..	7	8.9	3	..		
Koil-Allahgarh	150	55	19.2	5	..	7	..	23	8.0	7	..		
Lucknow	494	412	43.4	43	13	46	2	194	20.5	61	..		
Mathura	110	70	33.1	10	..	10	..	27	12.8	8	..		
Mau-Nath Bhanjan	38	27	36.9	..	8	..	3	17	23.3	3	..		
Meerut	185	101	28.4	4	..	11	..	21	5.9	7	..		
Mirzapur-Vindhyachal	97	75	40.2	..	1	..	14	..	2	..	25	13.5	7	..		
Moradabad	164	130	41.2	7	7	28	1	60	19.1	14	..		
Muzaffarnagar	74	50	35.1	5	..	3	..	9	6.3	3	..		
Pilibhit	45	34	39.5	4	1	2	..	7	8.1	2	..		
Rampur †																
Saharanpur	162	91	29.4	26	..	2	..	40	12.9	13	..		
Sambhal	65	44	35.2	9	1	6	..	18	4.5	2	..		
Shahjahanpur	99	72	37.8	6	..	5	..	19	10.0	2	..		
Sitapur	49	22	23.3	4	..	2	..	6	6.4		
TOTAL	5,105	3,428	34.9	..	14	..	378	60	319	10	1,324	13.5	375	..		
West Bengal																
Asansol †																
Baidyabat†																
Bally	66	11	8.7	1	..	2	1.6		
Bankura	50	4	4.2		
Bansberia †																
Baranagar	90	47	27.3	1	..	2	..	11	6.4	3	..		
Basirhat	39	21	28.0	2	8	10.7	3	..		
Berhampur	64	56	45.5	1	1	8	6.5	3	..		
Bhadreshwar	34	8	12.3		
Bhatpara	143	23	8.4	5	..	2	1	24	8.8	7	..		
Budge-Budge	32	11	18.0	1	1	4	6.5		
Burdwan	82	11	7.0	2	..	10	6.4		
Calcutta	2,984	310	23.0	22	27	160	..	567	9.9	150	..		
Campdani	41	21	26.6	1	1.3		
Cooch-Behar †																
Darjeeling †																
English-Bazar	36	22	32.0	1	1	4	5.8		
Garden Reach	124	13	5.5	1	1	10	4.2	4	..		
Halisahar	41	3	3.8		
Hooghly-Chinsurah	60	89	77.1	1	2	6	5.2	2	..		
Howrah	477	257	28.0	1	2	9	25	..	95	10.4	26	..		
Jalpaiguri	49	36	38.2	1	1.1		
Kamarhati †																
Kanchrapara	74	17	12.0	1	0.7		
Krishnagar	56	2	1.9		
Midnapore	45	37	43.0	1	3	15	17.3		
Nabadwip	70	29	21.5	6	..	1	..	11	8.2	2	..		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficient by reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 14th January, 1956—*contd.*

Deaths from 1—														
Tow	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
West Bengal—contd.														
Nalhati†														
North Barrackpore	36	1	..	1	..	2	2.9	1	
Panhati	65	2	1.6	1	0.8	..	
Shantipur	49	28	29.8	3	3.2	1	
Serampore	83	33	20.8	3	..	4	1	18	11.3	4	
Siliguri†														
South Dum Dum	83	4	2.5	
South Suburban	124	15	6.3	2	4	4	..	13	5.5	4	
Titagarh	78	25	16.8	5	..	2	..	9	6.0	2	
TOTAL	5,175	2,135	21.5	1	53	48	204	5	824	8.3	212	
STATES—(Part B)														
Jammu & Kashmir														
"N.R."														
Madhya Bharat														
"N.R."														
Mysore														
Bangalore	973	597	31.9	10	51	85	..	266	14.2	..	
Mysore	294	96	17.0	8	9	5	..	43	7.6	..	
Kolar Gold Fields	173	65	19.5	1	4	2	8	..	32	9.6	..	
Davangere	69	42	31.7	1	12	9.0	..	
TOTAL	1,509	800	27.6	1	23	62	98	..	353	12.2	..	
PEPSU														
Patiala City	111	62	29.0	14	..	5	..	31	14.5	12	
Malerkotla	34	16	24.5	4	4	6.1	..	
Bhatinda	39	13	17.3	2	..	1	..	3	4.0	1	
TOTAL	184	91	25.7	20	..	6	..	38	10.7	13	
Rajasthan														
Alwar	60	20	17.3	3	..	2	..	12	10.4	1	
Bharatpur	38	7	9.6	2	5	6.8	1	
Bikaner	117	50	22.2	3	2	9	..	20	8.9	4	
Churu	48	2	2.3	
Ganganagar†	47	1	1.1	..	1	..	3	1	7	..	14	15.5	..	
Tonk	45	2	2.3	2	1	7	8.1	..	
Korah	72	6	..	1	..	10	7.2	..	
Sikar†														
Jaipur†														
Udaipur†														
Jodhpur†														
TOTAL	427	82	10.0	..	1	..	19	4	19	..	68	8.3	6	
Travancore-Cochin														
Alleppey	148	42	14.8	1	9	3.2	..	
Changanacherry†														
Ernakulam	70	26	19.3	1	1	1	..	22	16.3	1	
Kottayam	50	30	31.2	2	2.1	..	
Mattanchery	85	51	31.2	1	..	17	10.4	4	
Nagercoil	94	31	17.1	1	1	25	13.8	7	
Quilon	75	94	65.2	7	4.9	..	
Trichur	76	35	23.9	1	9	6.2	..	
Trivandrum City	218	328	78.2	2	1	4	..	40	9.5	6	
TOTAL	816	637	40.6	4	5	7	..	131	8.3	18	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 14th January, 1956—*contd.*

Town		Mid-year Popn. Est. (000)	Death from :—										Total	D.R.*	I.D.		
			B.	B.R.*	C.	S.	P.	F.	DD.	R.D.	M.D.						
Saurashtra																	
Bhavnagar	157	73	24.2	3	3	8	..	29	9.6	12
Dhoraji†													
Gondal	41	21	26.6	2	..	1	..	11	13.9	..
Jamnagar	122	109	46.4	9	20	8.5	4
Junagadh	65	46	36.8	6	..	3	..	17	13.6	4
Morvi	43	17	20.5	1	1	1.2	1
Porbandar	64	42	34.1	5	1	3	..	19	15.4	5
Rajkot	167	87	27.1	7	1	5	..	22	6.9	7
Surendranagar	42	15	18.5	1	1	1.2	..
Veraval	46	10	11.3	—	1	..	3	3.4	..
TOTAL	747	420	29.2	..	—	—	34	5	21	..	123	9.6	33
Hyderabad																	
Aurangabad	73	10	7.1	1	..	6	..	8	5.7	1
Bidar†													
Gulberga	90	46	26.6	6	1	13	7.5	..
Hyderabad City	1,057	471	23.2	33	2	12	1	91	4.5	7
Jalna†													
Kothagudiam	71	20	14.6	1	0.7	..
Latur	41	2	2.5	—
Nanded	80	30	19.5	6	7	4.6	1
Nizamabad	67	15	11.6	3	1	1	..	8	6.2	3
Parbhani	40	5	6.5	1	..	1	..	3	3.9	1
Raichur†													
Secunderabad City	162	140	44.9	2	4	8	..	36	11.6	9
Warangal	155	46	15.4	—	10	3	1	2	16	5.4	..
TOTAL	18,36	783	56	10	35	4	185	..	22

ARREAR RETURNS

Travancore-cochin					For w/e 7th January 1956												
Kottayam	50	43	44.7	6	6.2	1	
Jammu & Kashmir					For w/e 1st October 1955												
Shrinagar	240	148	32.1	4	1	6	..	18	3.9	2
For w/e 8th October 1955																	
Shrinagar	240	133	28.8	2	1	4	..	10	2.2	1
For w/e 15th October 1955																	
Shrinagar	240	118	25.5	2	..	2	..	10	2.2	2
For w/e 22nd October 1955																	
Shrinagar	240	122	26.4	1	..	5	..	15	3.2	2
For w/e 29th October 1955																	
Stinagar	240	103	22.3	.	.	.	2	..	5	..	10	2.2	1
For w/e 5th November 1955																	
Jammu	68	68	52.0	4	1	14	10.7	1
For w/e 12th November 1955																	
Jammu	68	68	52.0	3	..	3	2	15	11.5	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates
†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoeas ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; “N.R.”—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 14th January, 1956—*contd.*

Town	Mid-year Popn -Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Jammu and Kashmir—contd.				For w/e 19th November 1955										
Jammu	68	72	55.1	2	..	4	..	11	8.4	..	
				For w/e 26th November 1955										
Jammu	68	83	63.5	2	..	6	..	12	9.2	1	
				For w/e 3rd December 1955										
Jammu	68	66	50.5	6	1	4	..	17	13.0	..	
				For w/e 10th December 1955										
Jammu	68	64	48.9	2	2	2	..	10	7.6	1	
				For w/e 17th December 1955										
Jammu	68	70	53.5	7	1	3	..	16	12.2	3	
Orissa				For w/e 31st December 1955										
Cuttack	114	143	65.2	9	..	8	..	41	18.7	7	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used:—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. —Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 14th January, 1956, relate to 207 towns with an estimated population of 30,843 thousands. The total number of towns is 313 and their population is 41,203 thousands. Thus 66% of the total number of towns representing 75% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 16,685 and 6,057 representing birth and death rates of 28.1 and 10.2 per thousand of population respectively.

(A) *States (Parts A and C).*—The data here relate to 166 towns with an estimated population of 25,224 thousands. Information about Ajmer, Assam and Madras could not be included. The total number of towns is 251 and their population is 33,402 thousands. Thus 66% of the total number of towns representing 76% of the total population is covered. The number of births and deaths recorded in these

towns were 13,872 and 5,344 representing birth rates and death rates of 28.5 and 11.0 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) *States (Part B).*—The data here relate to 41 towns with an estimated population of 5,519 thousands. The total number of towns is 62 and their population is 7,801 thousands. Thus 66% of the total number of towns representing 71% of the total population is covered. The number of births and deaths recorded in these towns were 2,813 and 7,13 representing birth and death rates of 26.5 and 6.7 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 14-1-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra . . .	24.1	12.7	24.9	11.9	†	†
Bhopal . . .	51.1	4.0	22.4	14.6	†	†
Bihar . . .	16.9	6.2	15.7	5.8		6.0
Bombay . . .	29.4	12.6	38.2	12.7	33.7	15.1
Delhi . . .	32.3	9.2	30.1	9.2	32.9	10.3
Madhya Pradesh . . .	26.5	9.9	20.5	8.6	25.8	14.5
Orissa . . .	56.9	21.1	30.9	20.2	39.5	23.0
Punjab . . .	33.2	8.9	31.0	8.4	33.1	12.8
Uttar Pradesh . . .	34.9	13.5	30.0	12.9	32.1	15.9
West Bengal . . .	21.5	8.3	20.4	10.3	19.9	12.8
India . . . (Only States Parts A and C)	28.5	11.0	29.1	13.2	31.4	15.4

† Figures not available.

NEW DELHI-2 (INDIA) ; }
The 6th February, 1956. }

K. MITRA,
for Registrar General, India.

Weekly Cotton Press Returns

I—Statement of cotton pressed in India for the weeks ending, 2nd, 9th, 16th, 23rd, & 30th of the month of September, 1955.

[Section 5 (2) of the Cotton Ginning and Pressing Factories Act, 1925 as adopted by the Adaptation of Laws Order, 1950]

(In Running bales)

States and Division or Block	Variety (Trade Description)	NUMBER OF BALES PRESSED													
		During the week ending					Total for the month Col. 3 to Col. 7	During the Corresponding week last year					Total for the month (last year) Col. 9 to Col. 13	Since 1st Sept., 1955	During the Corresponding period last year
		3	4	5	6	7		9	10	11	12	13			
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
ANDHRA ¹	1. Chinnapathi
	2. Lakshmi Cotton	130	208	445	561	502	1,846	604	992	1,036	1,020	648	4,300	1,846	4,300
	3. Northern	359	152	155	182	848	567	316	554	986	25	2,448	848	2,448
	4. Western	100	442	584	386	797	2,309	829	245	850	409	851	3,184	2,309	3,184
	5. Mungari
	6. Cocanada	155	130	435	247	458	1,425	...	128	53	181	1,425	181
	Total	385	1,139	1,616	1,349	1,939	6,428	2,000	1,681	2,493	2,415	1,524	10,113	6,428	10,113
	Cotton Waste
ASSAM ¹	Comilla	96	96	96	...
	Cotton Waste
BOMBAY ² —															
1. The Konkan and the Greater Bombay	1. Broach Vijaya
	2. Surti Suyog
	3. Gujarat Dholeras
	4. Saurashtra & Gujarat Short Staple (Mathia)
	5. Jarilla	61	9	70	...	70
	6. Kumpta Nagar Oomras
	7. Kumpta-Jayant Jayadhar
	8. Cambodia
	9. Dharwar Upland Laxmi
	10. Kumpta Ordinary
	Total	61	9	70	...	70
2. Gujarat ³	Cotton Waste	14	973	748	728	343	2,806	288	1,116	1,903	1,606	1,001	5,914	2,806	5,914
	Broach Vijaya
	Surti Suyog
	Gujarat Dholeras
	Saurashtra and Gujarat Short-Staple (Mathia)
	TOTAL
3. North Deccan ⁴	Jarilla
	Surti Suyog
	TOTAL
4. East Deccan ⁵	Jarilla	264	144	408	...	10	...	14	50	74	408	74
	Barsi Nagar Oomras
	Kumpta Jayawant/ Jayadhar	503	922	579	456	979	3,439	800	1,458	1,292	1,676	1,434	6,660	3,439	1,660
	Cambodia
	TOTAL	503	922	579	720	1,123	3,847	800	1,468	1,292	1,690	1,484	6,734	3,847	6,734

Weekly Cotton Press Returns—contd.

1.—Statement of Cotton pressed in India for the weeks ending 2nd, 9th, 16th, 23rd and 30th of the month of September, 1955—*contd.*

(In Running Balcs)

I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
MADRAS ¹	Western	N.A.	
	Mungari	N.A.	
	White and Red Northern.	N.A.	
	Madras Cambodia	624	1,247	1,525	1,426	1,544	6,366	N.A.	976	963	1,873	397	4,209	6,470 ^(a)	4,209	
	Madras Cambodia Uganda	681	1,638	1,049	1,688	1,867	6,923	N.A.	1,287	1,184	923	792	4,186	6,967 ^(b)	4,186	
	Nadarn, Bourbon and Uppam	N.A.	
	Warangal and Canadas.	N.A.	
	Tinnevellia	533	594	398	1,525	N.A.	4	...	4	1,525	4	
	Karunganni	213	...	281	184	33	711	N.A.	...	86	102	618	806	719 ^(c)	806	
	Chinnapathy	
	TOTAL	1,518	2,885	3,388	3,892	3,842	15,525	N.A.	2,263	2,233	2,802	1,807	9,205	15,681 ^(d)	9,205	
Cotton Waste	...	344	1,079	1,104	1,297	3,824	N.A.	18,366	1,135	1,367	1,364	5,232	4,261 ^(e)	5,232		
PUNJAB ²	1. Ambala ¹⁶	Punjab Desi	
		Punjab American	
		TOTAL	
	2. Jullundur ¹⁷	Punjab Desi	
		Punjab American	
		TOTAL	
	3. Amritsar ¹⁸	Punjab Desi	
		Punjab American	
		TOTAL	
	4. Ferozepur ¹⁹	Punjab Desi	
		Punjab American	
		TOTAL	
	TOTAL PUNJAB	Punjab Desi	
		Punjab American	
		TOTAL	
	Cotton Waste	
	UTTAR PRADESH	1. Upper Doab ¹⁴	U. P. Desi
			Perso-American
TOTAL			
2. Middle Doab ¹⁵		U. P. Desi	
		Perso American	
		TOTAL	
3. Lower Doab & Bundelkhand ¹⁶		U. P. Desi	
		Perso-American	
		TOTAL	
4. Rohilkhand ¹¹		U. P. Desi	
	Perso-American		
	TOTAL		

Weekly Cotton Press Returns—contd.

I.—Statement of Cotton pressed in India for the weeks ending 2nd, 9th, 16th, 23rd and 30th of the month of September, 1955—contd.

(In Running Bales)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
RAJASTHAN†	M.B. & Rajasthan Americans.	The whole State
	Rajasthan Deshi	26	26	...	26	
	M.B. Oomras	
	Malvi	
	Jurilla	
	U.P. Deshi	
	TOTAL	26	26	...	26	
	Cotton Waste	
SAURASHTRA†	Saurashtra & Kutch Dholeras.	273	1,020	257	1,550	1,550	...	The whole State.
	Saurashtra & Gujerat Short Staple (Mathia.)	
	TOTAL	273	1,020	257	1,550	1,550	...	
	Cotton Waste	
AJMER†	Rajasthan Desi	The whole State.
	Madhya Bharat and Rajasthan Americans.	
	TOTAL	
	Cotton Waste	106	710	216	...	216	
BHOPAL†	Malvi	The whole State.
	M.B. Oomras	
	TOTAL	
	Cotton Waste	
KUTCH†	Saurashtra and Kutch Dholeras.	
	Any other	
	TOTAL	
	Cotton Waste	
TRIPURA†	Comilas	The whole State
	Cotton Waste	
GRAND TOTAL†	Cotton Lint	3,685	7,330	7,094	7,025	8,291	33,425	3,354	7,608	10,349	10,000	8,343	39,834	33,581	39,834	
	Cotton Waste	393	1,516	2,557	2,298	3,683	10,447	736	2,502	2,778	2,942	2,737	11,605	10,884	11,605	

N. A.—Not available

1. The whole State

2. Thana, Kolaba and Greater Bombay.

3. Surat, Broach, Panchmahals, Kaira, Banaskantha, Sabarkantha, Baroda, Mehsana, Ahmedabad & Amreli.

4. East Khandesh, West Khandesh and Nasik.

5. Ahmednagar, Sholapur, Bijapur.

6. Poona, N. Satara, S. Satara, Beigum, Dharwar, Kanara & Kolhapur

7. Hoshangabad and Narsimhapur.

8. Nimar.

9. Jabalpur, Sagar and Deonoh.

10. Nagpur, Wardha, Balaghat Bhandara.

11. Chhindwara, Seoni, Betul, Mandla

12. Urg, Rajpur, Bilaspur, Surgula, Raigarh and Bastar.

13. Akola, Amaravati, Buldana, Y. otmal

14. Hissar, Rohtak, Gurgaon, Karnal, Ambala. (Including Simla Distt.)

15. Ludhiana, Kangra, Hoshiarpur and Jullundur.

16. Amritsar, Gurdaspur.

17. Ferozepur.

18. Dehradun, Saharanpur, Meerut, Bulandshahr, Aligarh, Muzaffarnagar.

19. Mathura, Farrukhabad, Etah, Agra, Mainpuri, Bulwari.

20. Kanpur, Fatehpur, Allahabad, Jhansi, Jalaun, Hamirpur, Banda.

21. Hardoi, Bareilly, Moradabad, Balaun, Buzore, Pilibhit, Nainital, Almora, Garhwal, Shahjahanpur.

22. Mirzapur, Banaras, Chazpur, Jaunpur, Azamgarh, Ballia, Gorakhpur, Basti, Gonda, Bahraich, Khera, Sitapur, Lucknow, Barabanki, Rai-Baselli, Sultanpur

Fyzabad, Partapur, Unnao.

Note—No bales were Pressed in Madhya Pradesh, Punjab, U.P., Madhya Bharat, P.E.P.S.U., Rajasthan, Ajmer, Bhopal & Kutch during the month under review

(a) Includes 104 bales not reported before.

(b) " 44 " " " "

(c) " 8 " " " "

(d) " 156 " " " "

(e) " 437 " " " "

